

Certificate of Compliance

Certificate Number:

UL-US-L346349-111-81501102-4

Report Reference:

E346349-20110518

Issue Date:

2024-05-15

Issued to:

EUCHNER GmbH + Co. KG Kohlhammerstrasse 16 Leinfelden Echterdingen 70771 Germany

This certificate confirms that representative samples of:

NRKH - Proximity Switches

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30, Revision Date: 2021-07-08

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.



CERTIFICATE OF COMPLIANCE

Certificate number UL-US-L346349-111-81501102-4

Report reference E346349-20110518

Date 2024-05-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
A, followed by FLX, followed by K or S, followed by 0A or	Proximity Switches
0B, followed by any combination of letters and/or	
alphanumeric suffixes, followed by VXX- where XX is a	
number, followed by any combination of letters and/or	
alphanumeric suffixes (Actuators (non-electrical)	
CES, followed by AR or AP, followed by CL2 or CR2,	Class 2 DC proximity switches, monitoring
followed by AH, BH, CH, EH, followed by Lxx or SG or SB,	devices
may be followed by any combination of letters and/or	
alphanumeric suffixes	
CES followed by FD, followed by AP, followed by M or U,	Class 2 DC proximity switches, monitoring
followed by 01, followed by USI, followed by any	devices
combination of letters and/or alphanumeric suffixes.	
CES followed by I, followed by AP or AR, followed by M or	Class 2 DC proximity switches, monitoring
U, followed by C04 or C14, followed by SG, SK, USA,	devices
USB, USI, VSA, VSB, VSI, Uxx or Vxx, may be followed by	
any combination of letters and/or alphanumeric suffixes.	
CES followed by I, followed by BP or BR, followed by F, M,	Class 2 DC proximity switches, monitoring
U or S, followed by C07, followed by SA, SB or SI,	devices
followed by any combination of letters and/or alphanumeric	
suffixes.	
CES or CKS, followed by A, followed by L, followed by any	Class 2 DC proximity switches, actuators
combination of letters and/or alphanumeric suffixes.	(non-electrical)
CES or CKS, followed by A, may be followed by letters,	Class 2 DC proximity switches, actuators
followed by B, followed by any combination of letters	(non-electrical)
and/or alphanumeric suffixes.	
CKS2	Proximity Switches
S, followed by C07, followed by any combination of letters	Class 2 DC proximity switches, actuators
and/or alphanumeric suffixes.	(non-electrical)



UL Mark Certification Program Manager

UL Solutions



Certificate of Compliance

Certificate Number:

UL-CA-L346349-311-81501102-4

Report Reference:

E346349-20110518

Issue Date:

2024-05-15

Issued to:

EUCHNER GmbH + Co. KG Kohlhammerstrasse 16 Leinfelden Echterdingen 70771 Germany

This certificate confirms that representative samples of:

NRKH7 - Proximity Switches Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information:

See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



UL Mark Certification Program Manager



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

CERTIFICATE OF COMPLIANCE

Certificate number UL-CA-L346349-311-81501102-4

Report reference E346349-20110518

Date 2024-05-15

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Model	Product Description
A, followed by FLX, followed by K or S, followed by 0A or	Proximity Switches
0B, followed by any combination of letters and/or	
alphanumeric suffixes, followed by VXX- where XX is a	
number, followed by any combination of letters and/or	
alphanumeric suffixes (Actuators (non-electrical)	
CES, followed by AR or AP, followed by CL2 or CR2,	Class 2 DC proximity switches, monitoring
followed by AH, BH, CH, EH, followed by Lxx or SG or SB,	devices
may be followed by any combination of letters and/or	
alphanumeric suffixes	
CES followed by FD, followed by AP, followed by M or U,	Class 2 DC proximity switches, monitoring
followed by 01, followed by USI, followed by any	devices
combination of letters and/or alphanumeric suffixes.	
CES followed by I, followed by AP or AR, followed by M or	Class 2 DC proximity switches, monitoring
U, followed by C04 or C14, followed by SG, SK, USA,	devices
USB, USI, VSA, VSB, VSI, Uxx or Vxx, may be followed by	
any combination of letters and/or alphanumeric suffixes.	
CES followed by I, followed by BP or BR, followed by F, M,	Class 2 DC proximity switches, monitoring
U or S, followed by C07, followed by SA, SB or SI,	devices
followed by any combination of letters and/or alphanumeric	
suffixes.	
CES or CKS, followed by A, followed by L, followed by any	Class 2 DC proximity switches, actuators
combination of letters and/or alphanumeric suffixes.	(non-electrical)
CES or CKS, followed by A, may be followed by letters,	Class 2 DC proximity switches, actuators
followed by B, followed by any combination of letters	(non-electrical)
and/or alphanumeric suffixes.	Donald St. On the Lea
CKS2, followed by K, followed by BR or BP, followed by	Proximity Switches
LC, HC or CC, followed by FLX, may be followed by any	
combination of letters and/or alphanumeric suffixes,	
followed by USI, USB or USA, followed by any	
combination of letters and/or alphanumeric suffixes.	Class 2 DC provimity awitahas actuators
S, followed by C07, followed by any combination of letters	Class 2 DC proximity switches, actuators
and/or alphanumeric suffixes.	(non-electrical)



UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

