

Certificate of Compliance

Certificate Number(s):

UL-US-L346349-111-
81501102-5

Report Reference:

E346349-20110518

Issue Date:

2025-12-16

Issued to:

EUCHNER GmbH + Co. KG
Kohlhammerstrasse 16, Leinfelden, Echterdingen, 70771, DE

This certificate confirms that representative samples of:

NRKH - Proximity Switches

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

UL 508, 18th Ed., Issue Date: 2018-03-30

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-US-L346349-111-81501102-5
Report reference: E346349-20110518
Issue Date: 2025-12-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Proximity Switches

Model(s): CKS2

Model(s): A followed by FLX, followed by K or S, followed by 0A or 0B, followed by any combination of letters and/or alphanumeric suffixes, followed by VXX- where XX is a number, followed by any combination of letters and/or alphanumeric suffixes (Actuators (non-electrical))

Class 2 DC proximity switches, actuators (non-electrical)

Model(s): CES or CKS, followed by A, followed by L, followed by any combination of letters and/or alphanumeric suffixes., S, followed by C07, followed by any combination of letters and/or alphanumeric suffixes., CES or CKS, followed by A, may be followed by letters, followed by B, followed by any combination of letters and/or alphanumeric suffixes.

Class 2 DC proximity switches, monitoring devices

Model(s): CES followed by I followed by AP or AR, followed by M or U, followed by C04 or C14, followed by SG, SK, USA, USB, USI, VSA, VSB, VSI, Uxx or Vxx, may be followed by any combination of letters and/or alphanumeric suffixes.

Model(s): CES followed by FD followed by AP, followed by M or U, followed by 01, followed by USI, followed by any combination of letters and/or alphanumeric suffixes.

Model(s): CES followed by AR or AP, followed by CL2 or CR2, followed by AH, BH, CH, EH, followed by Lxx or SG or SB, may be followed by any combination of letters and/or alphanumeric suffixes..

Model(s): Actuators (non-electrical), : Cat. No. A-, may be followed by FLX-, followed by C07-, C11- or C12-, followed by 00-, 01-, 04- or 05-, may be followed by VXX- (XX is any alphanumeric suffixes), may be followed by NXXX- (XXX is any alphanumeric suffixes), followed by any combination of letters and/or alphanumeric suffixes.

Model(s): CES followed by I, followed by BP, BR or IO- followed by F-, M-, U-, S- or CC-, may be followed by FLX- followed by C07-, followed by SA-, SB-, SI- or SE- followed by any combination of letters and/or alphanumeric suffixes.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

Certificate of Compliance

Certificate Number(s):

UL-CA-L346349-311-
81501102-5

Report Reference:

E346349-20110518

Issue Date:

2025-12-16

Issued to:

EUCHNER GmbH + Co. KG
Kohlhammerstrasse 16, Leinfelden, Echterdingen, 70771, DE

This certificate confirms that representative samples of:

NRKH7 - Proximity Switches Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

CSA C22.2 No. 14 , Edition: 13, Issue Date: 2018-03

Additional Information:

See UL Product iQ® at <https://iq.ulprospector.com> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-CA-L346349-311-81501102-5
Report reference: E346349-20110518
Issue Date: 2025-12-16

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Proximity Switches

Model(s): A followed by FLX, followed by K or S, followed by 0A or 0B, followed by any combination of letters and/or alphanumeric suffixes, followed by VXX- where XX is a number, followed by any combination of letters and/or alphanumeric suffixes (Actuators (non-electrical))

Model(s): CKS2 followed by K, followed by BR or BP, followed by LC, HC or CC, followed by FLX, may be followed by any combination of letters and/or alphanumeric suffixes, followed by USI, USB or USA, followed by any combination of letters and/or alphanumeric suffixes.

Class 2 DC proximity switches, actuators (non-electrical)

Model(s): CES or CKS, followed by A, followed by L, followed by any combination of letters and/or alphanumeric suffixes., S, followed by C07, followed by any combination of letters and/or alphanumeric suffixes., CES or CKS, followed by A, may be followed by letters, followed by B, followed by any combination of letters and/or alphanumeric suffixes.

Class 2 DC proximity switches, monitoring devices

Model(s): CES followed by I followed by AP or AR, followed by M or U, followed by C04 or C14, followed by SG, SK, USA, USB, USI, VSA, VSB, VSI, Uxx or Vxx, may be followed by any combination of letters and/or alphanumeric suffixes.

Model(s): CES followed by FD followed by AP, followed by M or U, followed by 01, followed by USI, followed by any combination of letters and/or alphanumeric suffixes.

Model(s): CES followed by AR or AP, followed by CL2 or CR2, followed by AH, BH, CH, EH, followed by Lxx or SG or SB, may be followed by any combination of letters and/or alphanumeric suffixes..

Model(s): Actuators (non-electrical), : Cat. No. A-, may be followed by FLX-, followed by C07-, C11- or C12-, followed by 00-, 01-, 04- or 05-, may be followed by VXX- (XX is any alphanumeric suffixes), may be followed by NXXX- (XXX is any alphanumeric suffixes), followed by any combination of letters and/or alphanumeric suffixes.

Model(s): CES followed by I, followed by BP, BR or IO- followed by F-, M-, U-, S- or CC-, may be followed by FLX- followed by C07-, followed by SA-, SB-, SI- or SE- followed by any combination of letters and/or alphanumeric suffixes.

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <https://www.ul.com/contact-us>.